



9410 - 20 Ave N.W.
Edmonton, Alberta, Canada T6N 0A4
Tel: (780) 437-9100 / Fax: (780) 437-7787

January 16, 2017

Ray Chung
HAITIMA CORPORATION
SEC 2 NEIHU AREA
8F NO 201 TIDING BLVD
TAIPEI, TAIWAN 114

RE: **REGISTRATION OF HAITIMA CORPORATION IN OTHER JURISDICTIONS**
ALBERTA CRN 0C07956.2
ABSA TRACKING #2016-03955

Enclosed are the stamped, accepted copies of registrations for the following provinces that we submitted for registration on your behalf.

Drawing ATTACHMENT

<u>Province</u>	<u>CRN</u>	<u>Fee</u>
ACIC:		\$1,400.07
- New Brunswick	0C07956.27	
- Newfoundland	0C07956.20	
- Northwest Territories	0C07956.2T	
- Nova Scotia	0C07956.28	
- Nunavut	0C07956.2N	
- PEI	0C07956.29	
- Yukon	0C07956.2Y	
British Columbia	0C07956.21	\$299.25
CSA:		\$798.00
- Quebec	0C07956.26	
Manitoba	0C07956.24	\$595.00
Ontario	0C07956.25	\$576.30
Saskatchewan	0C07956.23	\$330.00

Please note that BC does not provide a stamped Declaration form

An invoice in the amount of \$4,946.88 will be issued from our revenue accounts. Alberta administration fees and courier fees are included in this total. The amount shown is in Canadian dollars.

Sincerely,

Cynthia Formaniuk
Administrative Co-ordinator
Design Survey & Engineering



505 - 6th Street, Suite 200
New Westminster, BC V3L 0E1

Toll Free: 1-866-566-SAFE
Fax: (778) 396 - 2064
www.safetyauthority.ca

ALBERTA BOILERS SAFETY ASSOCIATION
9410 20 AVENUE NW
EDMONTON AB T6N 0A4

Date: October 21, 2016
Account #: 34986
Journal #: 66651
Our File #: 5606123

Attn: CYNTHIA FORMANIUK

Re: Application for Design Registration

The design, as detailed in your, ABSA Tracking No: 2016-03955, for a Fitting is accepted for registration as follows:

Registered To: HAITIMA CORPORATION **CRN:** 0C07956.21

Drawing #: Attachement Scope

Conditions Of Registration:

Registration renewal of Valves per attachment document (2 pages). Press/Temp per B16.34.

This design was registered based on a technical review performed by the province of initial registration in accordance with the Association of Chief Inspectors policy on reciprocal recognition of design review.

Reviewer's Notes:

This CRN covers only valves in compliance with ASME B16.1 & B16.34. From the valves designed to API 594 this CRN covers only valves that fully comply with B16.1 & B16.34. Valves size 1-1/2" designed to API 594 are excluded from this reg'n. As req'd by CSA B51 4.2.1, this reg'n expires on August 04, 2026. This CRN is valid until the expiry date as long as the Mfr maintains a valid Q.C. program verified by an acceptable 3rd party agency until that date. Should the certification of the Q.C. program lapse before the expiry date, this reg'n shall become void.

Contact me if you have any questions. The invoice for registration will be forwarded under separate cover.

SHARON PETERS

boiler.designregistration@safetyauthority.ca
Design Administration

cc:



STATUTORY DECLARATION Registration of Fittings

In this space, show facsimile of manufacturer's logo or trademark as it will appear on the fitting. HAITIMA

I, SHEN MING SHOW, PRESIDENT

(company title, e.g. vice president, plant manager, chief engineer) (must be in a position of authority)

of HAITIMA CORPORATION (name of manufacturer)

located at 1. No.350, WangTian Boulevard., YongKang Tech.Ind. Park, YongKang City, Tainan County 710, Taiwan R.O.C 2. Nanlang Ind Park, Nanlang Town, Zhongshan, Guangdong, 528451, P.R. China (plant address)

do solemnly declare that the fittings listed hereunder, which are subject to the Safety Codes Act (check one)

- comply with the requirements of ASME B16.34/B16.1, API 598/594 which specifies the dimensions, materials of construction, pressure/temperature ratings and identification marking of the fittings, or are not covered by the provisions of a recognized North American standard and are therefore manufactured to comply with as supported by the attached data which identifies the dimensions, materials of construction, pressure/temperature ratings and the basis for such ratings, and the marking of the fittings for identification.

I further declare that the manufacture of these fittings is controlled by a quality control program which has been verified by the following authority, BV as being suitable for the manufacture of these fittings to the stated standard. The fittings covered by this declaration, for which I seek registration, are " C "

In support of this application, the following information, calculations and/or test data are attached:

2006, 2006W, 2007W36, 2007W60, 2009, 2009M, 2011, 2011M, 2012, 2012M, 2013, 2013M, 2013KM, 2013KM3M, .

2013KB, 2017K, 2020-F, 2020N, 2020S, 2021-F, 2024, 2053, 2054, 2025

Notary Public stamp for Huang Yi-zhen, Notary Public Office of Taiwan, Shilin District Court, R.O.C., dated JUL 13 2016. Case No. 105-士林-警-004001152. Attested at the Notary Public Office of Taiwan, Shilin District Court, R.O.C., that the signature(s)/seal(s) of President = SHEN MING SHOW in this document is/are authentic.

Signature of Applicant: Shen Ming Show

For The Contents Of This Document The Notary Public Assumes No Responsibility For The Attached Document The Notary Public Assumes No Responsibility

Registration Number: 0C07956.2 Date Registered: AUG 04 2016

Signature of Administrator/Chief Inspector of Alberta: Brynchua. Expiry Date: Aug 04, 2026

The information you provide is necessary only for the administration of the programs as required by the Alberta Safety Codes Act and Regulations in the Boiler Discipline.

see attachment and acceptance letter for a scope

REGISTRATION OF A PRESSURE FITTING DESIGN

03-Nov-16

ABSA
9410 20th Avenue
Edmonton, AB
T6N 0A4

Attention: Cynthia Formaniuk

File Number: 10295 [0 F]

Re: Manufacturer: Haitima Corporation
Item: Valves
Catalog or Drawing: Attachment

TSASK Codes and Standards Compliance has registered the design listed above in accordance with The Boiler and Pressure Vessel Act and Regulations and CSA B51. The Canadian Registration Number (CRN) is:

OC07956.23 Expiry Date: August 4,2026

Please note that every fitting shall be constructed in strict accordance with the registered design.

Fitting registrations are required to be resubmitted for validation after ten (10) years from the registration date in accordance with CSA B51, Clause 4.2.1.

Should you require anything further, please do not hesitate to contact the Codes and Standards Compliance Office at your convenience.

Yours truly,



Shamsi Trisha, Engineer-in-Training
Codes and Standards Compliance

Remarks:

CRN registered under reciprocal agreement and conditional upon compliance with the notes on the original ABSA registration dated Sep 15,2016.



AB-41 2005-02

Technical Safety Authority
of Saskatchewan
Boiler & P.V. Safety Unit

CRN 000 7956 23

File 10295

REGISTERED


Date Nov 3rd 2016



the pressure equipment safety authority

STATUTORY DECLARATION Registration of Fittings

In this space, show
facsimile of manufacturer's
logo or trademark as it will
appear on the fitting.



HAITIMA

I, SHEN MING SHOW
PRESIDENT

(company title, e.g. vice president, plant manager, chief engineer) (must be in a position of authority)

of HAITIMA CORPORATION

(name of manufacturer)

located at 1. No.350, WangTian Boulevard., YongKang Tech.Ind. Park, YongKang City, Tainan County 710, Taiwan R.O.C
2. Nanlang Ind Park, Nanlang Town, Zhongshan, Guandong, 528451, P.R. China

(plant address)

do solemnly declare that the fittings listed hereunder, which are subject to the Safety Codes Act (check one)

comply with the requirements of ASME B16.34/B16.1, API 598/594 which specifies the dimensions,
(title of recognized North American Standard)

materials of construction, pressure/temperature ratings and identification marking of the fittings, or

are not covered by the provisions of a recognized North American standard and are therefore manufactured to
comply with _____ as supported by the attached data which identifies the dimensions,

materials of construction, pressure/temperature ratings and the basis for such ratings, and the marking of the fittings for identification.

I further declare that the manufacture of these fittings is controlled by a quality control program which has been verified by the following authority, BV as being suitable for the manufacture of these fittings to the stated standard. The fittings covered by this declaration, for which I seek registration, are " C "

In support of this application, the following information, calculations and/or test data are attached:

2006, 2006W, 2007W36, 2007W60, 2009, 2009M, 2011, 2011M, 2012, 2012M, 2013, 2013M, 2013KM, 2013KM3M, .
2013KB, 2017K, 2020-F, 2020N, 2020S, 2021-F, 2024, 2053, 2054, 2025

105士院認004

DECLARED before me at 案號: 001152 Date JUL 13 2016 of _____

this 本文件人 沈明壽 day of _____ (Month) _____ (Year) _____

(printed) 沈明壽 day of _____ (Month) _____ (Year) _____

(signature) _____
(A Commissioner for Oaths)
document is/are authentic. MING SHOW

For Office Use Only
Notary Public

To the best of my knowledge and belief, the application meets the requirements of the Safety Codes Act and CSA Standard B51, Clause 4.2, and is eligible for registration in Category _____

(Signature of Applicant)
shen ming show
For The Contents Of This Document
The Notary Public Assumes No Responsibility.
For The Attached Document
The Notary Public Assumes No Responsibility

Registration Number: _____

Date Registered: _____

(For the Administrator/Chief Inspector of Alberta)

Expiry Date: Aug 4th, 2026



AB-41 2005-02



the pressure equipment safety authority

STATUTORY DECLARATION Registration of Fittings

In this space, show facsimile of manufacturer's logo or trademark as it will appear on the fitting.



I, SHEN MING SHOW

PRESIDENT

(company title, e.g. vice president, plant manager, chief engineer) (must be in a position of authority)

of HAITIMA CORPORATION

(name of manufacturer)

located at 1. No.350, WangTian Boulevard., YongKang Tech.Ind. Park, YongKang City, Tainan County 710, Taiwan R.O.C 2. Nanlang Ind Park, Nanlang Town, Zhongshan, Guandong, 528451, P.R. China

(plant address)

do solemnly declare that the fittings listed hereunder, which are subject to the Safety Codes Act (check one)

[X] comply with the requirements of ASME B16.34/B16.1, API 598/594 which specifies the dimensions, (title of recognized North American Standard)

materials of construction, pressure/temperature ratings and identification marking of the fittings, or

[] are not covered by the provisions of a recognized North American standard and are therefore manufactured to comply with as supported by the attached data which identifies the dimensions, materials of construction, pressure/temperature ratings and the basis for such ratings, and the marking of the fittings for identification.

I further declare that the manufacture of these fittings is controlled by a quality control program which has been verified by the following authority, BV as being suitable for the manufacture of these fittings to the stated standard. The fittings covered by this declaration, for which I seek registration, are "C"

In support of this application, the following information, calculations and/or test data are attached:

2006, 2006W, 2007W36, 2007W69, 2009, 2009M, 2011, 2011M, 2012, 2012M, 2013, 2013M, 2013KM, 2013KM3M, .

案號 013KB, 2017K, 2020-F, 2020M, 2020S, 2021-F, 2024, 2053, 2054, 2025

Case No. 1059 號 001152 Date JUL 13 2016

本文件由本人沈明壽之簽名或蓋章，在臺灣士林地方法院公證處認證 before me at 公證人 黃子興

Attested at the Notary Public Office of Taiwan Shulin District Court, R.O.C., this 13th day of JUL (Year)

signature(s)/seal(s) of President - SHEN MING SHOW in this document is/are authentic. MING SHOW (sign)

Notary Public Commissioner for Catho

For Office Use Huang, Yu-Zhen

For The Contents Of This Document The Notary Public Assumes No Responsibility For The Attached Document The Notary Public Assumes No Responsibility

To the best of my knowledge and belief, the application meets the requirements of the Safety Codes Act and CSA Standard B51, Clause 4.2, and is accepted for registration in Category "C"

Registration Number: 8007956.24

Date Registered: NOV 29, 2016

(For the Administrator/Chief Inspector of Alberta) Expiry Date: AUG 4, 2026

Technical Standards and Safety Authority
Boilers and Pressure Vessels Safety Program
REGISTERED
C.R.N.: **0C07956.25R6**
Signed: *celal*
Date: **Oct. 17, 2016**

NOTE:
SEE THE ATTACHED
TWO PAGES FOR
THE SCOPE OF
REGISTRATION.
celal
Oct 17/16



the pressure equipment safety authority

**STATUTORY DECLARATION
Registration of Fittings**

In this space, show
facsimile of manufacturer's
logo or trademark as it will
appear on the fitting.



I, SHEN MING SHOW
PRESIDENT

(company title, e.g. vice president, plant manager, chief engineer) (must be in a position of authority)

of HAITIMA CORPORATION
(name of manufacturer)

located at 1. No.350, WangTian Boulevard., YongKang Tech.Ind. Park, YongKang City, Tainan County 710, Taiwan R.O.C
2. Nanlang Ind Park, Nanfang Town, Zhongshan, Guandong, 528451, P.R. China
(plant address)

do solemnly declare that the fittings listed hereunder, which are subject to the Safety Codes Act (check one)

- comply with the requirements of ASME B16.34/B16.1, API 598/594 which specifies the dimensions, (title of recognized North American Standard) materials of construction, pressure/temperature ratings and identification marking of the fittings, or
- are not covered by the provisions of a recognized North American standard and are therefore manufactured to comply with _____ as supported by the attached data which identifies the dimensions, materials of construction, pressure/temperature ratings and the basis for such ratings, and the marking of the fittings for identification.

I further declare that the manufacture of these fittings is controlled by a quality control program which has been verified by the following authority, BV as being suitable for the manufacture of these fittings to the stated standard. The fittings covered by this declaration, for which I seek registration, are "C"

In support of this application, the following information, calculations and/or test data are attached:

2006, 2006W, 2007W36, 2007W60, 2009, 2009M, 2011, 2011M, 2012, 2012M, 2013, 2013M, 2013KM, 2013KM3M, 2013KB, 2017K, 2020-F, 2020N, 2020S, 2021-F, 2024, 2053, 2054, 2025

Case No. 105-111-2004-001-1-001 Date: JUL 13 2016
DECLARED before me at _____ of _____
Attested at the Notary Public Office of Taiwan
Shulin District Court, R.O.C., that the
signature(s)/seal(s) of President - SHEN in this
document is/are authentic. MING SHOW
(sign)
Notary Public Commissioner for Oaths
Yu-Zhen
For Office Use: Yu-Zhen

shen ming show
(Signature of Applicant)
For The Contents Of This Document
The Notary Public Assumes No Responsibility
For The Attached Document
The Notary Public Assumes No Responsibility

To the best of my knowledge and belief, the application meets the requirements of the Safety Codes Act and CSA Standard B51, Clause 4.2, and is accepted for registration in Category "C"

Registration Number: **0C07956.25R6**

Date Registered: Oct. 17, 2016

(For the Administrator/Chief Inspector of Alberta)
Expiry Date: Aug 04, 2026



To:	ABSA	From:	Janet Townsend
Company:	Haitima Corp. ANR-4243	Phone:	416-747-4291
Pages:	8	Location:	Toronto
Our File:	ANR-4243	Date:	November 4, 2016

Your File: 2016-03955

Subject: Request Design Registration

Ms. Formaniuk,

CSA has received the documentation submitted by ABSA on behalf of Haitima Corp. These fittings have been registered by CSA for the Province of Québec in accordance with an agreement between CSA and the Province of Québec.

The CRN is 0C07956.26 .

The cost for this service is \$ 760.00 plus HST.

A copy of the Statutory Declaration with an original stamp affixed will be forwarded to you along with our invoice by regular mail.

Yours truly

A handwritten signature in cursive script that reads 'Janet Townsend'.

Janet Townsend
Account Manager
CSA Group
janet.townsend@csagroup.org
www.csagroup.org



AB-41 2005-02

REGISTERED



CRN: 0C07956.26

Registration Process administered by CSA Group per CSA B51



the pressure equipment safety authority

STATUTORY DECLARATION Registration of Fittings

In this space, show facsimile of manufacturer's logo or trademark as it will appear on the fitting.



I, SHEN MING SHOW

PRESIDENT

(company title, e.g. vice president, plant manager, chief engineer) (must be in a position of authority)

of HAITIMA CORPORATION

(name of manufacturer)

located at 1. No. 350, WangTian Boulevard, YongKang Tech. Ind. Park, YongKang City, Tainan County 710, Taiwan R.O.C 2. Nanlang Ind Park, Nanlang Town, Zhongshan, Guangdong, 528451, P.R. China

(plant address)

do solemnly declare that the fittings listed hereunder, which are subject to the Safety Codes Act (check one)

[X] comply with the requirements of ASME B16.34/B16.1, API 598/594 which specifies the dimensions, (title of recognized North American Standard)

materials of construction, pressure/temperature ratings and identification marking of the fittings, or

[] are not covered by the provisions of a recognized North American standard and are therefore manufactured to comply with as supported by the attached data which identifies the dimensions, materials of construction, pressure/temperature ratings and the basis for such ratings, and the marking of the fittings for identification.

I further declare that the manufacture of these fittings is controlled by a quality control program which has been verified by the following authority, BV as being suitable for the manufacture of these fittings to the stated standard. The fittings covered by this declaration, for which I seek registration, are " C "

In support of this application, the following information, calculations and/or test data are attached:

2006, 2006W, 2007W36, 2007W60, 2009, 2009M, 2011, 2011M, 2012, 2012M, 2013, 2013M, 2013KM, 2013KM3M, 2020N, 2020S, 2021F, 2024, 2025

Notary Public Office of Taiwan Shilin District Court, R.O.C. Attested at the Notary Public Office of Taiwan Shilin District Court, R.O.C. on the 13th day of JUL 2016. Notary Public Commissioner for Oaths: PHUNG, Yu-Zhen

Technical Review performed per CSA B51 Performed by: ANRIC Enterprises Inc. Signed: [Signature] Date: 31/10/2016

To the best of my knowledge and belief, the application meets the requirements of the Safety Codes Act and CSA Standard B51, Clause 4.2, and is accepted for registration in Category

Registration Number: 0C07956.26

Date Registered: OCTOBER 31 2016

A. PANWATT (For the Administrator/Chief Inspector of Alberta) Expiry Date: AUG 04 2026

The information you provide is necessary only for the administration of the programs as required by the Alberta Safety Codes Act and Regulations in the Boiler Discipline.

Note: 1. See attachment as the scope of registration 2. Renewal registration without construction material, design specification & pressure rating change

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK NUNAVUT NOVA SCOTIA YUKON PRINCE EDWARD ISLAND NORTHWEST TERRITORIES NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: HAITIMA CORPORATION
MANUFACTURERS ADDRESS: 8F, No.201, Tiding Boulevard Sec.2, Naihu Area Taipei Taiwan R.O.C
PLANT LOCATIONS: 1. No.380, WangTien Boulevard., YongKang Tech.Ind. Park, YongKang City, Tainan County 710, Taiwan R.O.C
2. Nanlong Ind Park, Nanlong Town, Zhongshan, Guangdong, 528431, P.R. China

CATEGORY OF FITTINGS TO BE REGISTERED, CIRCLE ONE CATEGORY ONLY
A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers
B Flanges: all flanges
C Valves: all line valves
D Expansion joints, flexible connections, and hose assemblies: all types
E Strainers, filters, separators, and steam traps
F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters
G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs
H Pressure retaining components that do not fall into one of the above categories
N Nuclear components: Class 1 Class 2 Class 3 (Meeting CNSC or ASME requirements)
TITLE OF THE STANDARD OF CONSTRUCTION
ASME B16.34
ASME B16.1
API 598
API 594

SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT
HAITIMA
TYPE OF CONSTRUCTION
FORGED WELDED WROUGHT
CAST OTHER
DESCRIBE OTHER:

LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:
1. A copy of the ISO 9001 certificate.
2. Valve drawings with all dimensions and material specification details.
3. Pressure-Temperature ratings are shown in drawings.
ACCEPTED
PROVINCE OF PRINCE EDWARD ISLAND
COMMUNITIES, LAND & ENVIRONMENT
C.R.N. 0207956.29 ADD5
DATE: Oct 11 / 16

DECLARATION:
I SHEN MING SHOW (see note 3) employed by HAITIMA CORPORATION and being the person in authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by BV as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: Shen Ming Show
Declared before me at
This day of AD
Commissioner of Oaths or Notary Public: (sign)

INSPECTION SERVICES SECTION
BOILER/PRESSURE VESSEL BRANCH
Case No. 001153
Date: JUL 13 2016
Attested at the Notary Public Office of Taiwan
Shulin District Court, R.O.C. that the
signature and seal(s) of President SHEN MING SHOW in this document is/are authentic.
Notary Public
Huang, Yu-Zhen

This space for Regulatory Authority use only
This registration must be revalidated after 10 years from the date of acceptance.
CRN: 0207956.2 ADD8
FID#: 372

Notes:
1. All fittings shall be registered in the name of the Manufacturer.
2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

For The Contents Of This Document
The Notary Public Assumes No Responsibility
For The Attached Document
The Notary Public Assumes No Responsibility
Sect. 1.0 - Fittings Rev. 1 05/2003

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK NOVA SCOTIA PRINCE EDWARD ISLAND NEWFOUNDLAND AND LABRADOR
NUNAVUT YUKON NORTHWEST TERRITORIES

MANUFACTURERS NAME: HAITIMA CORPORATION
MANUFACTURERS ADDRESS: 8F, No.201, Tiding Boulevard Sec.2, NeiHu Area Taipei Taiwan R.O.C
PLANT LOCATIONS: 1. No.350, WangTian Boulevard, YongKang Tech. Ind. Park, YongKang City, Tainan County 710, Taiwan R.O.C
2. Nanlang Ind Park, Nanlang Town, Zhongshan, Guangdong, 528431, P.R. China
CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY
A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers
B Flanges: all flanges
C Valves: all line valves
D Expansion joints, flexible connections, and hose assemblies: all types
E Strainers, filters, separators, and steam traps
F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters
G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs
H Pressure retaining components that do not fall into one of the above categories
N Nuclear components: Class 1 Class 2 Class 3 (Meeting CNSC or ASME requirements)
TITLE OF THE STANDARD OF CONSTRUCTION
ASME B16.34
ASME B16.1
API 598
API 594
SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT
HAITIMA
TYPE OF CONSTRUCTION
FORGED WELDED WROUGHT
CAST OTHER
DESCRIBE OTHER:
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED
1. A copy of the ISO 9001 certificate.
2. Valve drawings with all dimensions and material specification details.
3. Pressure-Temperature ratings are shown in drawings.
BOILER PRESSURE VESSEL
Date Oct. 7/16
CRN. OC07956.28ADD8
Dwg. as described
Signed Yvonne Perry
1 of 1
Part
ACT & REGULATIONS

DECLARATION:

I SHEN MING SHOW (see note 3) employed by HAITIMA CORPORATION and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by BV as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: Shen Ming Show
Declared before me at
This day of AD
Commissioner of Oaths or Notary Public: (sign)

Notary Public Office of Taiwan
Shilin District Court, R.O.C.
Attested at the Notary Public Office of Taiwan Shilin District Court, R.O.C. that the document is/are authentic.
Notary Public Huang, Yu-Zhen
Date JUL 13 2016
Case No. U.S.E.T.H.I.S.S.P.A.D. 001153
This registration must be revalidated after 10 years from the date of acceptance.

CRN: OC07956.2 ADD8
FID#: 372

- Notes:
1. All fittings shall be registered in the name of the Manufacturer.
2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

For The Contents Of This Document
The Notary Public Assumes No Responsibility
For The Attached Document
The Notary Public Assumes No Responsibility


UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: HAITIMA CORPORATION	
MANUFACTURERS ADDRESS: 8F, No.201, Tiding Boulevard Sec.2, Neihu Area Taipei Taiwan R.O.C	
PLANT LOCATIONS: 1. No.350, WangTian Boulevard., YongKang Tech.Ind. Park, YongKang City, Tainan County 710, Taiwan R.O.C 2. Nanlang Ind Park, Nanlang Town, Zhongshan, Guandong, 528451, P.R. China	
CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> , (Meeting CNSC or ASME requirements)	TITLE OF THE STANDARD OF CONSTRUCTION ASME B16.34 ASME B16.1 API 598 API 594
SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT <div style="text-align: center;">  HAITIMA </div>	TYPE OF CONSTRUCTION FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/> DEPT OF PUBLIC SAFETY BOILER & PRESSURE VESSEL ACT EXAMINER: <i>Chen Crown</i> for CHIEF BOILER INSPECTOR DATE: <u>10/7/16</u>
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED: 1. A copy of the ISO 9001 certificate. 2. Valve drawings with all dimensions and material specification details. 3. Pressure-Temperature ratings are shown in drawings.	

DECLARATION:

I, SHEN MING SHOW (see note 3) employed by HAITIMA CORPORATION and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure components temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by BV as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: *Shen Ming Show*
 Declared before me at _____
 This _____ day of _____ AD _____
 Commissioner of Oaths
 or Notary Public: (sign) _____

105士院認004

案號 - 001153 日期: JUL 13 2016
 Case No. U.S.E. 1153 SP AD Date: JUL 13 2016
 本文件由沈明壽之簽名或蓋章在臺灣士林地方方法
 院公證處認證。 公證人黃于真
 Attested at the Notary Public Office of Taiwan
 Shilin District Court, R.O.C, that the
 signature(s) of President - SHEN MING SHOW in this
 document is/are authentic.
 Notary Public *Huang Yu Zhen*

CRN: OC07956.2 ADD8
 FID#: 372

- Notes:
- All fittings shall be registered in the name of the Manufacturer.
 - Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
 - The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
 - Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

For The Contents Of This Document
 The Notary Public Assumes No Responsibility

 For The Attached Document
 The Notary Public Assumes No Responsibility


UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: HAITIMA CORPORATION	
MANUFACTURERS ADDRESS: 8F, No.201, Tiding Boulevard Sec.2, NeiHu Area Taipei Taiwan R.O.C	
PLANT LOCATIONS: 1. No.368, WangTien Boulevard., YongKang Tech,Ind. Park, YongKang City, Tainan County 710 Taiwan R.O.C 2. Nuriang Ind Park, Nanjang Town, Zhongshan, Guangdong, 528451, P.R. China	
CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges <input checked="" type="radio"/> C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> , (Meeting CNSC or ASME requirements)	TITLE OF THE STANDARD OF CONSTRUCTION ASME B16.34 ASME B16.1 API 598 API 594
SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT <div align="center">  HAITIMA </div>	TYPE OF CONSTRUCTION FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/> CAST <input type="checkbox"/> OTHER <input type="checkbox"/> DESCRIBE OTHER: Newfound Labrador Service NL Registered 0C07956.20 Acc. 8 Date 16/10/11 Engineering and Inspection Services Registered by <i>[Signature]</i>
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED: 1. A copy of the ISO 9001 certificate. 2. Valve drawings with all dimensions and material specification details. 3. Pressure-Temperature ratings are shown in drawings.	

DECLARATION:
 I SHEN MING SHOW (see note 3) employed by HAITIMA CORPORATION and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by BV as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: *Shen Ming Show*
 Declared before me at _____
 This _____ day of _____ AD _____
 Commissioner of Oaths
 or Notary Public: (sign) _____

105士院路004
 案號: 001153 日期: JUL 13 2016
 Case No. S.E. J-115 SP AD Date: JUL 13 2016
 本文件由 黃于真 之簽名或蓋章。在臺灣士林地方法院公證處公證。
 公證人 黃于真
 Attested at the Notary Public Office of Taiwan
 Shilin District Court, R.O.C. that the SHEN MING SHOW
 and all other sign(s) of President - SHEN MING SHOW in this
 document is/are authentic.
 Notary Public
Huang, Yu-Zhen

This space for Regulatory Authority use
 This registration must be revalidated after ten (10) years from the date of acceptance.
 CRN: 0C07956.2 ADD8
 FID#: 372

- Notes:
- All fittings shall be registered in the name of the Manufacturer.
 - Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
 - The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
 - Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

For The Contents Of This Document
 The Notary Public Assumes No Responsibility

 For The Attached Document
 The Notary Public Assumes No Responsibility


UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: HAITIMA CORPORATION	
MANUFACTURERS ADDRESS: 8F, No.201, Tiding Boulevard Sec.2, NeiHu Area Taipei Taiwan R.O.C	
PLANT LOCATIONS: <small>1. No.350, WangTian Boulevard., YongKang Tech.Ind. Park, YongKang City, Tainan County 710, Taiwan R.O.C 2. Nanlang Ind.Park, Nanlang Town, Zhongshan, Guangdong, 528451, P.R. China</small>	
<p align="center">CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/>, (Meeting CNSC or ASME requirements)</p>	<p align="center">TITLE OF THE STANDARD OF CONSTRUCTION</p> <p align="center">ASME B16.34 ASME B16.1 API 598 API 594</p>
<p align="center">SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT</p> <div align="center">  HAITIMA </div>	<p align="center">TYPE OF CONSTRUCTION</p> <p>FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/> CAST <input checked="" type="checkbox"/> OTHER <input type="checkbox"/> DESCRIBE OTHER:</p>
<p align="center">LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:</p> <ol style="list-style-type: none"> 1. A copy of the ISO 9001 certificate. 2. Valve drawings with all dimensions and material specification details. 3. Pressure-Temperature ratings are shown in drawings. 	

DECLARATION:

I, SHEN MING SHOW (see note 3) employed by HAITIMA CORPORATION and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by BV as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.


Signature of Declarer: Shen Ming Show
 Declared before me at _____
 This _____ day of _____ AD _____
 Commissioner of Oaths
 or Notary Public: (sign) _____

105士院認004

Case No. 001153 日期: JUL 13 2016
 本文件由 沈明壽 之簽名或蓋章以存臺灣士林地方法院公證處認證。 公證人 黃于真
 Attested at the Notary Public Office of Taiwan
 Shilin District Court, R.O.C., that the signature(s) of President - SHEN MING SHOW in this document is/are authentic.
 Notary Public Huang, Yu-Zhen

This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: OC07956.2 ADD8
 FID#: 372



- Notes:
1. All fittings shall be registered in the name of the Manufacturer.
 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

For The Contents Of This Document
 The Notary Public Assumes No Responsibility

For The Attached Document
 The Notary Public Assumes No Responsibility


UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: HAITIMA CORPORATION	
MANUFACTURERS ADDRESS: 8F, No.201, Tiding Boulevard Sec.2, NeiHu Area Taipei Taiwan R.O.C	
PLANT LOCATIONS: 1. No.350, WangTien Boulevard, YangKeng Tech.Ind. Park, YangKeng City, Tainan County 710, Taiwan R.O.C 2. Nanlang Ind Park, Nanlang Town, Zhongshan, Guangdong, 528451, P.R. China	
CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY	TITLE OF THE STANDARD OF CONSTRUCTION
<p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers</p> <p>B Flanges: all flanges</p> <p><input checked="" type="radio"/> Valves: all line valves</p> <p>D Expansion joints, flexible connections, and hose assemblies: all types</p> <p>E Strainers, filters, separators, and steam traps</p> <p>F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters</p> <p>G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs</p> <p>H Pressure retaining components that do not fall into one of the above categories</p> <p>N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/>. (Meeting CNSC or ASME requirements)</p>	<p>ASME B16.34</p> <p>ASME B16.1</p> <p>API 598</p> <p>API 594</p>
SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT	TYPE OF CONSTRUCTION
 HAITIMA	<p>FORCED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/></p> <p>CAST <input type="checkbox"/> OTHER <input type="checkbox"/></p> <p>DESCRIBE OTHER:</p>
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:	
<p>1. A copy of the ISO 9001 certificate.</p> <p>2. Valve drawings with all dimensions and material specification details.</p> <p>3. Pressure-Temperature ratings are shown in drawings.</p>	

DECLARATION:
 I, SHEN MING SHOW (see note 3) employed by HAITIMA CORPORATION and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by BV as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: Shen Ming Show
 Declared before me at _____
 This _____ day of _____ AD _____
 Commissioner of Oaths or Notary Public: (sign) _____

105十院2004
 案號: 001153 日期: JUL 13 2016
 Case No. S-E-T-I-S S-P-AD-15 Date: JUL 13 2016
 本案件: 沈明秀之瓣蓋或蓋帽之檢閱士林地方法
 院公證登錄。
 公證人黃于真

This space for Regulatory Authority seal of Registrant (SHA) in this document is/are _____

This registration must be revalidated after ten (10) years from the date of compliance.

CRN: 0007956.2 ADD8
 FID#: 372

Notes:
 1. All fittings shall be registered in the name of the Manufacturer.
 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

Notary Public: _____
 REGISTERED UNDER THE AUTHORITY OF THE BOILER AND PRESSURE VESSEL ACT
 For The Contents of This Declaration
 The Notary Public Assumes the Responsibility
 CRN: 0007956.2 ADD8
 For The Contents of This Declaration
 The Notary Public Assumes the Responsibility
 DATE: 07 13 2016

Section 1.0 - Fittings Rev. 1 06/2003

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: **HAITIMA CORPORATION**
 MANUFACTURERS ADDRESS: **8F, No.201, Tiding Boulevard Sec.2, Neihu Area Taipei Taiwan R.O.C**

PLANT LOCATIONS: 1. No.360, WangTian Boulevard., YongKang Tech.Ind. Park, YongKang City, Tainan County 710, Taiwan R.O.C
 2. Nanlang Ind Park, Nanlang Town, Zhongshan, Guangdong, 528451, P.R. China

- CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY**
- A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers
 - B Flanges: all flanges
 - C Valves: all line valves
 - D Expansion joints, flexible connections, and hose assemblies: all types
 - E Strainers, filters, separators, and steam traps
 - F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters
 - G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs
 - H Pressure retaining components that do not fall into one of the above categories
 - N Nuclear components: Class 1 Class 2 Class 3 , (Meeting CNSC or ASME requirements)

TITLE OF THE STANDARD OF CONSTRUCTION

ASME B16.34
ASME B16.1
API 598
API 594

SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT



TYPE OF CONSTRUCTION
 WELDED WROUGHT CAST OTHER
 DESCRIBE OTHER: **NUNAVUT**

Boilers and
Pressure Vessels Act

LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:

1. A copy of the ISO 9001 certificate.
2. Valve drawings with all dimensions and material specification details.
3. Pressure-Temperature ratings are shown in drawings.

REGISTERED

GRN: 0C07956.2NADD8
 Date: Oct 07, 2016
 Signed: [Signature]
 Chief Inspector

DECLARATION:
 I, SHEN MING SHOW (see note 3) employed by HAITIMA CORPORATION and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by BV as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: [Signature]
 Declared before me at _____
 This _____ day of _____ AD _____
 Commissioner of Oaths
 or Notary Public: (sign) _____

Territorial Registration Fee

105土院認004
 案號: 001153 日期: JUL 13 2016
 Case No. 001153 S.P. Date: JUL 13 2016
 本案件主: 沈明壽 之簽蓋或蓋章 在臺灣士林地方
 院公證處認證。 公證人 黃于真
 Attested at the Notary Public Office of Taiwan
 Shilin District Court, R.O.C, that the SHEN MING SHOW
 signature (and seal(s)) of President - SHEN MING SHOW in this
 document is/are authentic.
 Notary Public [Signature]
 Huang, Yu-Zhen

This space for Regulatory Authority use/seal(s) of President - SHEN MING SHOW in this document is/are authentic.
 This registration must be revalidated after ten (10) years from the date of acceptance.
 GRN: 0C07956.2 ADD8
 FID#: 372

- Notes:
1. All fittings shall be registered in the name of the Manufacturer.
 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

For The Contents Of This Document
The Notary Public Assumes No Responsibility
 For The Attached Document
The Notary Public Assumes No Responsibility