NEW BRUNSWICK NUNAVUT	NOVA SCOTIA PRINCE EDWARD ISLAND YUKON NORTHWEST TERRITORIES	NEWFOUNDLAND AND LABRADOR
MANUFACTURERS NAME:	Emerson Process Management, Rosemount Analytical Inc.	
MANUFACTURERS ADDRESS:	2400 Barranca Parkway, Irvine, CA 92606	
PLANT LOCATIONS:	Address above AND Circuito del Progreso #27, Parque Industrial Prog	reso, Mexicali, BC, Mexico CP-21190 : : :
CATEGORY OF FITTIN	IGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY	TITLE OF THE STANDARD OF CONSTRUCTION
A Pipe fittings, including coupling B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible conne	s, tees, elbows, Ys, plugs, unions, pipe caps, or reducers	Proprietary standard, from applicable requirements of CSA standard B51 and product data sheets, supported by proof pressure tests.
pressure transmitters	ressure gauges, level gauges, sight glasses, levels, or	
bollers, pressure vessels, pipin	re relief devices acceptable as primary over pressure protection on g and fusible plugs that do not fall into one of the above categories	
	☐ Class 2 ☐ Class 3 ☐, (Meeting CNSC or ASME requirements)	
	, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT	TYPE OF CONSTRUCTION
	EMOUNT'	FORGED WELDED WROUGHT CLAST COTHER XI DESCRIBE OTHER:
মান্ত জন্ম বিশ্ব	Analytical	MOLDED/ENCAPSULATED
IST OF SUPPORTING DOCUME	NTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE RE	GISTERED:
Andel 3900 Product Data Sheet 7	ure test report (RCMT # 13014-TRT Rev. 00) 1-3900, which includes model option codes, maximum pressure and ter 00721, showing material specification, dimensions and wall thicknesses.	nperature ratings and markings.
٠		
r knowledge represents the pro nperature ratings, and identifican anufacture of these fittings is re in part and has been verified by	ing it to be true, and knowing that it is of the same force and effective. Country, (ALIFOLENIA, USA USA SAN AD 2012	in this form is true and to the best of of construction, pressure ds. I further declare that the nt where fabrication occurs in whole t purpose and I make this solemn
	This space for Regulatory Authority use	ACCEPTED
This regis	stration must be revalidated after ten (10) years PROVINCE	OF TRINCE EDWARD ISLAND
RN:0F14081.5	ENVIRON	ment, labour & Justice
D#: 521	C.R.N.	OFILIOSISS
tes: All fittings shall be registered in th Each category shall be supported ms and one copy of supporting do The declaration shall be made by	with two Statutory Declaration cumentation. the person having full authority and	religion (1)
sponsibility for the quality of the end Quality control programs shall be		TION SERVICES SECTION RESSUREMESSEL BRANCH

	UNIFORMISTATE		FORM FOR THE REGISTA		EWFOUNDLAND AND LABRADOR
	EW BRUNSWICK UNAVUT	NOVA SCOTIA YUKON	PRINCE EDWARD ISLAND NORTHWEST TERRITORIES	N	EWFOONDEAND AND BIOLOGO
		Emerson Process Managem	ent, Rosemount Analytical Inc.		
	MANUFACTURERS NAME:	D Designary indi	ne CA 92606		
	MANUFACTURERS ADDRESS:	Address above AND Circuito	del Progreso #27, Parque Industri	al Progres	o, Mexicali, BC, Mexico CP-21190 TITLE OF THE STANDARD OF CONSTRUCTION
Ш	PLANT LOCATIONS:	Address above AND OFFICE	IRCLE ONE CATEGORY ONLY		TITLE OF THE STANDARD OF CONSTRUCTION Proprietary standard, from applicable
	A Pipe fittings, including coupling B Flanges: all flanges	is, tees, elbows, Ys, plugs, un	ions, pipe caps, or reducers		Proprietary standard, from applicable requirements of CSA standard B51 and product data sheets, supported by proof pressure tests.
- 1	C Valves: all line valves D Expansion joints, flexible conn	ections, and hose assemblies:	all types		
	E Strainers, filters, separators, at	nd steam traps	sight glasses, levels, or	1	
(F Measuring devices, including p	Leasule Gandes' least ageas	, digit grade of the		•
	 G Certified capacity-rated pressure bollers, pressure vessels, pipir 	a that do not fall into one of the	s primary over pressure protection of above categories	}	
- 1		TI Close 2 [1] Class 3 1 1. UV	IBEILIN OLIGO OL VIOLET LA d'	its)	
L	N Nuclear components: Class 1	CIRSE Z CIRSE CE LOGO	AS IT WILL APPEAR ON THE PRO	DUCT	TYPE OF CONSTRUCTION
9	SHOW MANUFACTURERS NAM	E. TRADEMARK, UR LOGO	70 // 11.00		FORGED WELDED WROUGHT CAST OTHER
	RO	SEMOUNT'			CAST OTHER DESCRIBE OTHER:
1		Analytical			MOLDED/ENCAPSULATED
		Analytical		1	
L		ENTATION AND IDENTIFICA	TION OF THE ACTUAL ITEMS TO	BE REG	STERED:
	Model 3900 pH sensor proof pres	cure test report (RCMT # 130	14-TRT Rev. 00)	.1.1	and markings
ŀ	Model 3900 pH sensor product Data Sheet.	71-3900, which includes mod	14-TRT Rev. 00) el option codes, maximum pressur cification, dimensions and wali thicl	e and tem knasses	perature ratings and markings.
	Model 3900 assembly drawing, 1	700721, showing material spe	el option codes, maximum process elfication, dimensions and wall thick	MI OCCU	
			•		
1					
-	ه				
re m te	DECLARATION: Dana Crowlev esponsibility for the quality of the how knowledge represents the permanent user ratings, and identifications.	he end product do solemni	Emerson Process Management	and being	the person having full authority and
d S	nanufacture of these fittings is rin part and has been verified eclaration conscientiously belicature of Declarer: Declared before me at ORAM	regulated by a Quality Corregulated by a Quality Corby Det Norske Veritas leving it to be true, and known of Country, Califorate Country, Califorate	cordance with the herein named	naterials I standard each plar e for that and effe	of construction, pressure is. I further declare that the it where fabrication occurs in whole purpose and I make this solemn ct as if made under oath. CATHERINE ANN STIP Commission # 1822116 Notary Public - California
d S	nanufacture of these fittings is r in part and has been verified eclaration conscientiously belisignature of Declarer: Declared before me at ORANG	regulated by a Quality Corregulated by a Quality Corby Det Norske Veritas leving it to be true, and known of Country, Califorate Country, Califorate	cordance with the herein named atrol Program which extends to as being suitable wing that it is of the same force	naterials I standard each plar e for that and effe	of construction, pressure is. I further declare that the it where fabrication occurs in whole purpose and I make this solemn ot as if made under oath. CATHERINE ANN 5TIP Commission 1822115
o d	rin part and has been verified eclaration conscientiously beliature of Declarer: Declared before me at ORAMO This	regulated by a Quality Corregulated by a Quality Corby Det Norske Veritas leving it to be true, and known of Country, Califorate Country, Califorate	cordance with the herein named atrol Program which extends to as being suitable wing that it is of the same force	naterials I standard each plar e for that and effe	of construction, pressure is. I further declare that the it where fabrication occurs in whole purpose and I make this solemn ct as if made under oath. CATHERINE ANN STIP Commission # 1822116 Notary Public - California
or discount of the control of the co	nanufacture of these fittings is in part and has been verified eclaration conscientiously beliating the second of	incation markings are in accregulated by a Quality Corregulated by a Quality Corregulated by Det Norske Verltas leving it to be true, and known and known according to the ALIPRE	as being suitable with the same force AND ALL SA US AND ALL SA AND ALL	naterials i standard each plar e for that and effe	of construction, pressure is. I further declare that the it where fabrication occurs in whole purpose and I make this solemn ct as if made under oath. CATHERINE ANN STIP Commission # 1822118 Notary Public - California Orange County Comm. Expires Gec 5, 2012
or discount of the control of the co	nanufacture of these fittings is in part and has been verified eclaration conscientiously beliating the second of	incation markings are in accregulated by a Quality Corregulated by a Quality Corregulated by Det Norske Verltas leving it to be true, and known and known according to the ALIPRE	as being suitable with the same force AND ALL SA US AND ALL SA AND ALL	naterials i standard each plar e for that and effe	of construction, pressure is. I further declare that the it where fabrication occurs in whole purpose and I make this solemn ct as if made under oath. CATHERINE ANN STIP Commission # 1822118 Notary Public - California Orange County Comm. Expires Gec 5, 2012
or discount of the control of the co	nanufacture of these fittings is in part and has been verified eclaration conscientiously beliating the second of	incation markings are in accregulated by a Quality Corregulated by a Quality Corregulated by Det Norske Verltas leving it to be true, and known and known according to the ALIPRE	as being suitable with the same force AND ALL SA US AND ALL SA AND ALL	naterials standard each plar fe for that and effe	of construction, pressure its. I further declare that the it where fabrication occurs in whole purpose and I make this solemn ct as if made under oath. CATHERINE ANN STIP Commission # 1822116 Notary Public - California Orange County Comm. Excist Occ 5, 2012 GOVERNMENT OF
SDTCO	panufacture of these fittings is r in part and has been verified eclaration conscientiously believed before me at ORANG. This 17H day of This Tommissioner of Oaths or Notary Public: (sign) This response to the part of the	incation markings are in accregulated by a Quality Corregulated by a Quality Corregulated by Det Norske Verltas leving it to be true, and known and known according to the ALIPRE	as being suitable with the same force AND ALL SA US AND ALL SA AND ALL	naterials standard each plar fe for that and effe	of construction, pressure its. I further declare that the it where fabrication occurs in whole purpose and I make this solemn ot as if made under oath. CATHERINE ANN STIP Commission # 1822116 Notary Public - California JORDAN COUNTY Comm. Excita 040 5, 2012 GOVERNMENT OF FORMAL AND LABRADOR Department of
SDTCO	nanufacture of these fittings is in part and has been verified eclaration conscientiously beliating the second of	incation markings are in accregulated by a Quality Corregulated by a Quality Corregulated by Det Norske Verltas leving it to be true, and known and known according to the ALIPRE	as being suitable with the same force AND ALL SA US AND ALL SA AND ALL	naterials standard each plan e for that and effe	of construction, pressure is. I further declare that the it where fabrication occurs in whole purpose and I make this solemn of as if made under oath. CATHERINE ANN STIP Commission # 1822116 Noticy Public - California Orange County Comm. Excitat Cac 5, 2012 GOVERNMENT OF Increase Occurs Comm. Excitat Cac 5, 2012 GOVERNMENT OF Increase Occurs Comm. Excitat Cac 5, 2012 GOVERNMENT OF Increase Occurs Comm. Excitat Cac 5, 2012 GOVERNMENT OF Increase Occurs Comm. Excitat Cac 5, 2012 GOVERNMENT OF Increase Occurs Comm. Excitat Cac 5, 2012 GOVERNMENT OF Increase Occurs Comm. Excitat Cac 5, 2012
o d S D T C o F	canufacture of these fittings is in part and has been verified eclaration conscientiously believed before me at ORAMO Commissioner of Oaths or Notary Public: (sign) This received before the commissioner of Oaths or Notary Public: (sign) This received before the commissioner of Oaths or Notary Public: (sign) This received before the commissioner of Oaths or Notary Public: (sign)	incation markings are in accregulated by a Quality Corregulated by a Quality Corregulated by Det Norske Verltas leving it to be true, and known and known according to the ALIPRE	as being suitable with the same force AND ALL SA US AND ALL SA AND ALL	naterials standard each plar fee for that and effect and effect feet for that the standard effect feet feet feet feet feet feet fe	of construction, pressure its. I further declare that the it where fabrication occurs in whole purpose and I make this solemn of as if made under oath. CATHERINE ANN STIP Commission # 1822116 Notary Public - California Orange County Comm. Excise Occ 5, 2012 COVERNMENT OF COUNTY COMMISSION OF SOLEMAND AND LABRADOR Department of Government Services ed OF 14081.50
o d S D T C o F	panufacture of these fittings is r in part and has been verified eclaration conscientiously believed before me at ORANG. This 17H day of This Tommissioner of Oaths or Notary Public: (sign) This respectively.	incation markings are in accregulated by a Quality Corregulated by a Quality Corregulated by Det Norske Verltas leving it to be true, and known and known according to the ALIPRE	as being suitable with the same force AND ALL SA US AND ALL SA AND ALL	naterials standard each plan e for that and effe	of construction, pressure is. I further declare that the it where fabrication occurs in whole purpose and I make this solemn of as if made under oath. CATHERINE ANN STIP Commission # 1822116 Noticy Public - California Orange County Comm. Excitat Cac 5, 2012 GOVERNMENT OF Increase Occurs Comm. Excitat Cac 5, 2012 GOVERNMENT OF Increase Occurs Comm. Excitat Cac 5, 2012 GOVERNMENT OF Increase Occurs Comm. Excitat Cac 5, 2012 GOVERNMENT OF Increase Occurs Comm. Excitat Cac 5, 2012 GOVERNMENT OF Increase Occurs Comm. Excitat Cac 5, 2012 GOVERNMENT OF Increase Occurs Comm. Excitat Cac 5, 2012
o d S D T C o F	r in part and has been verified eclaration conscientiously believed before me at ORAMO of Notary Public: (sign) This received before the properties of Declarer of Declarer. Commissioner of Oaths of Notary Public: (sign) This received before the properties of Declarer of Declarer. This received before the properties of Declarer. The properties of Declarer. This properties of Declarer.	This spagistration must be revalidated by a Quality Corregulated by Action of the Action of th	cordance with the herein named atrol Program which extends to as being suitable wing that it is of the same force with the sam	naterials standard each plar e for that and effe white foil Lahr Register Date GOV	of construction, pressure is. I further declare that the it where fabrication occurs in whole purpose and I make this solemn of as if made under oath. CATHERINE ANN STIP Commission # 1822118 Rotary Public - California Orange County Comm. Excise Geo 5, 2012 2 GOVERNMENT OF EXCHANGE AND LABRADOR Department of Government Services ed OF 14 08 1 . 50 2012 2 10 ERNMENT SERVICES CENTRE
o d S D T C o F	r in part and has been verified eclaration conscientiously beliable signature of Declarer: Declared before me at ORAM Commissioner of Oaths or Notary Public: (sign) This received before the signature of Declarer of Oaths or Notary Public: (sign) This received before the signature of Declarer of Oaths or Notary Public: (sign) This received before the signature of Declarer of Declarer: OF14081.5	This space gistration must be revalidation must be revalidation.	cordance with the herein named atrol Program which extends to as being suitable wing that it is of the same force with the same force with the same force of the same force with the same	naterials standard each plar e for that and effe white foil Lahr Register Date GOV	of construction, pressure is. I further declare that the it where fabrication occurs in whole purpose and I make this solemn of as if made under oath. CATHERINE ANN STIP Commission # 1822118 Notary Public California JORDAN COUNTY COMM. Excitation (Sec. 5, 2012) 32 GOVERNMENT OF Excitation County Comm. Excitation (Sec. 5, 2012) 33 GOVERNMENT OF Excitation County Comm. Excitation (Sec. 5, 2012) 34 GOVERNMENT OF Excitation County Comm. Excitation (Sec. 5, 2012) 35 GOVERNMENT OF Excitation County Comm. Excitation (Sec. 5, 2012) 36 GOVERNMENT OF Excitation County Comm. Excitation (Sec. 5, 2012) 37 GOVERNMENT OF Excitation County Comm. Excitation (Sec. 5, 2012) 38 GOVERNMENT OF Excitation County Comm. Excitation (Sec. 5, 2012) 39 GOVERNMENT OF Excitation County Comm. Excitation (Sec. 5, 2012) 30 GOVERNMENT OF Excitation County Comm. Excitation (Sec. 5, 2012) 31 GOVERNMENT OF Excitation County Comm. Excitation (Sec. 5, 2012) 31 GOVERNMENT OF Excitation County Comm. Excitation (Sec. 5, 2012) 32 GOVERNMENT OF Excitation County Comm. Excitation (Sec. 5, 2012) 33 GOVERNMENT OF Excitation County Comm. Excitation (Sec. 5, 2012) 34 GOVERNMENT OF Excitation County Comm. Excitation (Sec. 5, 2012) 35 GOVERNMENT OF Excitation County Comm. Excitation (Sec. 5, 2012) 36 GOVERNMENT OF Excitation County Comm. Excitation (Sec. 5, 2012) 37 GOVERNMENT OF Excitation County Comm. Excitation (Sec. 5, 2012) 38 GOVERNMENT OF Excitation County Comm. Excitation (Sec. 5, 2012) 37 GOVERNMENT OF Excitation County Comm. Excitation (Sec. 5, 2012) 38 GOVERNMENT OF Excitation County Comm. Excitation (Sec. 5, 2012) 48 GOVERNMENT OF Excitation County Comm. Excitation (Sec. 5, 2012) 49 GOVERNMENT OF Excitation County Comm. Excitation (Sec. 5, 2012) 40 GOVERNMENT OF Excitation County Comm. Excitation (Sec. 5, 2012) 40 GOVERNMENT OF Excitation County Comm. Excitation (Sec. 5, 2012) 40 GOVERNMENT OF Excitation (Sec. 5, 2012) 40 GOVERNMENT OF Excitation County Comm. Excitation (Sec. 5, 2012) 41 GOVERNMENT OF Excitation County Co
o d S D T C o F	r in part and has been verified eclaration conscientiously believed at the sum of the su	This space gistration must be revalidation must be revalidation must be revalidation to the name of the Manufacturited with two Statutory Declaration for the mame of the Manufacturited with two Statutory Declaration must be revalidation.	cordance with the herein named atrol Program which extends to as being suitable wing that it is of the same force with the same force with the same force of the same force with the same	Naterials standard each plan is for that and effect and	of construction, pressure its. I further declare that the it where fabrication occurs in whole purpose and I make this solemn of as if made under oath. CATHERINE ANN STIP Commission 1822116 Notary Public - California Orange County Comm. Expire Occ 5, 2012 GOVERNMENT OF FORGAL AND LABRADOR Department of Government Services ed OF 14 081 . 50 ERNMENT SERVICES CENTRE pering and Inspection Services
o d S D T C o F	nanufacture of these fittings is r in part and has been verified eclaration conscientiously believed as a conscientiously believed before me at ORAMO This JOHN day of Notary Public: (sign) This received before me at ORAMO This JOHN DAY OF 14081.5 CRN: OF 14081.5 FID#: 521 Notes: 1. All fittings shall be registered in 2. Each category shall be suppo	incation markings are in accregulated by a Quality Corregulated by a Quality Corby Det Norske Veritas eving it to be true, and knowing to be true, and true with two Statutory Declaration.	cordance with the herein named atrol Program which extends to as being suitable wing that it is of the same force with a	Register COV Engine	of construction, pressure is. I further declare that the it where fabrication occurs in whole purpose and I make this solemn ct as if made under oath. CATHERINE ANN STIP Commission # 1822115 Noticy Public California 1. Orange County Comm. Excitat Rec 5, 2012
o d S D T C o F	nanufacture of these fittings is r in part and has been verified eclaration conscientiously believed as a conscient of Declarer: Declared before me at ORAMC or THE day of DAMC or Notary Public: (sign) This recent of Declarer: OF14081.5 FID#: 521 Notes: 1. All fittings shall be registered in the conscience of the cons	incation markings are in accregulated by a Quality Corregulated with the state of documentation.	cordance with the herein named atrol Program which extends to as being suitable wing that it is of the same force with a	Register UNDI	of construction, pressure is. I further declare that the it where fabrication occurs in whole purpose and I make this solemn ot as if made under oath. CATHERINE ANN STIP Commission # 1822118 Rotary Public California 1 Orange County Comm. Excita Gro 5, 2012 GOVERNMENT OF SECRETARIA AND LABRADOR Department of Government Services and OF 14081.50 ERNMENT SERVICES CENTRE sering and Inspection Services and by AMAIL SERVICES CENTRE sering and Inspection Services and by AMAIL SERVICES CENTRE sering and Inspection Services and by AMAIL SERVICES CENTRE sering and Inspection Services and by AMAIL SERVICES CENTRE sering and Inspection Services and by AMAIL SERVICES CENTRE sering and Inspection Services and by AMAIL SERVICES CENTRE sering and Inspection Services and by AMAIL SERVICES CENTRE sering and Inspection Services and by AMAIL SERVICES CENTRE sering and Inspection Services and by AMAIL SERVICES CENTRE sering and Inspection Services and by AMAIL SERVICES CENTRE sering and Inspection Services and by AMAIL SERVICES CENTRE sering and Inspection Services and by AMAIL SERVICES CENTRE sering and Inspection Services and by AMAIL SERVICES CENTRE sering and Inspection Services and by AMAIL SERVICES CENTRE sering and Inspection Services and by AMAIL SERVICES CENTRE sering and Inspection Services and by AMAIL SERVICES CENTRE sering and Inspection Services and BY AMAIL SERVICES CENTRE sering and Inspection Services and BY AMAIL SERVICES CENTRE sering and Inspection Services and BY AMAIL SERVICES CENTRE sering and BY AMAIL SERVICE
o d S D T C o F	nanufacture of these fittings is r in part and has been verified eclaration conscientiously believed as a conscientiously believed before me at ORAMO This JOHN day of Notary Public: (sign) This received before me at ORAMO This JOHN DAY OF 14081.5 CRN: OF 14081.5 FID#: 521 Notes: 1. All fittings shall be registered in 2. Each category shall be suppo	in the name of the Manufacturited with two Statutory Declarated with the person having full authors be resubmitted for validation.	cordance with the herein named atrol Program which extends to as being suitable wing that it is of the same force with USA USA USA Ce for Regulatory Authority use atted after ten (10) years from the atron mority and	New Formula (Control of the Control	of construction, pressure is. I further declare that the it where fabrication occurs in whole purpose and I make this solemn ct as if made under oath. CATHERINE ANN STIP Commission # 1822115 Noticy Public California 1. Orange County Comm. Excitat Rec 5, 2012

NEW BR	UNSWICK
NUNAVU	T

NOVA SCOTIA YUKON

PRINCE EDWARD ISLAND NORTHWEST TERRITORIES NEWFOUNDLAND AND LABRADOR

TITLE OF THE STANDARD OF CONSTRUCTION Proprietary standard, from applicable

requirements of CSA standard B51 and product data sheats, supported by

proof pressure tests.

MANUFACTURERS	NAME:

Emerson Process Management, Rosemount Analytical Inc.

MANUFACTURERS ADDRESS:

2400 Barranca Parkway, Irvine, CA 92606

PLANT LOCATIONS:

Address above AND Circuito del Progreso #27, Parque Industrial Progreso, Mexicali, BC, Mexico CP-21190

CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY

- A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers
- Flanges: all flanges
- Valves: all line valves
- Expansion joints, flexible connections, and hose assemblies: all types
- E Strainers, filters, seperators, and steam traps
- Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters
- G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on bollers, pressure vessels, piping and fuelble plugs
- H Pressure retaining components that do not fall into one of the above categories
- N Nuclear components: Class 1 □ Class 2 □ Class 3 □, (Meeting CNSC or ASME requirements)

TYPE OF CONSTRUCTION FORGED II WELDED I WROUGHT D CAST O OTHER DESCRIBE OTHER:

MOLDED/ENCAPSOLLITED

SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT

LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO

Model 3900 pH sensor proof pressure test report (RCMT # 13014-TRT Rev. 00)

Model 3900 Product Data Sheet, 71-3900, which includes model option codes, maximum pressure and temperature ratings and markings. Model 3900 assembly drawing, 1700721, showing material specification, dimensions and wall thicknesses.

DECLARATION:

Dana Crowlev (see notes) employed by Emerson Process Management, and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by Det Norske Veritas as being suitable for that purpose and I make this solemn declaration conscientlously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature	of D	ecla	rer:
-----------	------	------	------

Declared before me at ORANGE

day of Commissioner of Oaths

or Notary Public: (sign)

CATHERINE ANN STIP Commission 🗲 18221 18 Notery Public - California Orange County

This space for Regulatory Authority use

This registration must be revalidated after ten (10) years from the date of societians

OF14081.5 CRN:

521 FID#:

- 1. All fittings shall be registered in the name of the Manufacturer.
- 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
- 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
- 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

निर्फ़्रांतgs Rev. 1 06/2003

NUNAVUT	YUKON	NORTHWEST TERRITORIES	NEWFOUNDLAND AND LABRADOR
MANUFACTURERS NAME:	Emerson Process Manageme	nt, Rosemount Analytical Inc.	
MANUFACTURERS ADDRESS:	2400 Barranca Parkway, Irvino	e, CA 92606	
PLANT LOCATIONS:			ogreso, Mexicali, BC, Mexico CP-21190
CATEGORY OF FITTIN A Pipe fittings, including coupling B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible conne E Strainers, filters, separators, ar F Measuring devices, including pi	us, tees, elbows, Ys, plugs, unio ections, and hose assemblies: and steam traps	ali types	TITLE OF THE STANDARD OF CONSTRUCTION Proprietary standard, from applicable requirements of CSA standard B51 and product data sheets, supported by proof pressure tests.
pressure transmitters G Certified capacity-rated pressure boilers, pressure vessels, pipin H Pressure retaining components	re relief devices acceptable as p g and fusible plugs that do not fall into one of the a	primary over pressure protection on above categories	
<u></u>		eting CNSC or ASME requirements) SIT WILL APPEAR ON THE PRODUC	TYPE OF CONSTRUCTION
	SEMOUNT® Analytical	TI WILL AFFEAR ON THE PRODUC	FORGED WELDED WROUGHT CAST OTHER X DESCRIBE OTHER: MOLDED / ENCAPSULATE)
	Autury credi		'
	1-3900, which includes model	option codes, maximum pressure and cation, dimensions and wall thicknessed.	
ny knowledge represents the pro emperature ratings, and identific nanufacture of these fittings is re or in part and has been verified b	e end product do solemnly doduct for which registration is ation markings are in according to the latest degree of	eclare that the information contained sought. The dimensions, material dance with the herein named stand I Program which extends to each pass being suitable for the gram that it is of the same force and each of	ards. I further declare that the lant where fabrication occurs in whole hat purpose and I make this solemn ffect as if made under oath. CATHERINE ANN STIP Commission # 1822116 Notary Public - California I C I Drange County In Comm. Explire Dec 5, 2012
	This space fo	or Regulatory Authority use	CHRISC SASETY
This regi	stration must be revalidated	after ten (10) years from the date of BOILER & PR	of acceptance. The control of acceptance of
CRN: 0F14081.5		DEGIG	TRATION ONLY
FID#: 521		CRN	9F14081.57
Notes: 1. All fittings shall be registered in the context of the category shall be supported forms and one copy of supporting do an arranged of the context of the context of the end of the context of	with two Statutory Declaration ocumentation. the person having full authority of product. resubmitted for validation	DATE: 02 BLE	
		FITTING	S COMPONENTS

ONITORINGTAL	STORT DECEMBE	HON TORM OR THE REGISTRATIO	HOLITIMO DEDIGHO
NEW BRUNSWICK NUNAVUT	NOVA SCOTIA YUKON	PRINCE EDWARD ISLAND NORTHWEST TERRITORIES	NEWFOUNDLAND AND LABRADOR
MANUFACTURERS NAME:	Emerson Process Mar	nagement, Rosemount Analytical inc.	
MANUFACTURERS ADDRESS:	2400 Barranca Parkwa	ay, Irvine, CA 92606	
PLANT LOCATIONS:		ircuito del Progreso #27, Parque Industrial Prog	the state of the s
A Pipe fittings, including coupling B Flanges: all flanges C Valves: all flanges C Valves: all flanges D Expansion joints, flexible conne E Strainers, filters, separators, an F Measuring devices, including propossure transmitters G Certified capacity-rated pressure boilers, pressure vessels, piping H Pressure retaining components N Nuclear components: Class 1 [s, tees, elbows, Ys, plug actions, and hose assem d steam traps ressure gauges, level ga re relief devices acceptal g and fusible plugs that do not fall into one	uges, sight glasses, levels, or ble as primary over pressure protection on of the above categories J. (Meeting CNSC or ASME requirements)	TITLE OF THE STANDARD OF CONSTRUCTION Proprietary standard, from applicable requirements of CSA standard B51 and product data sheets, supported by proof pressure tests.
	EMOUNT Analytical	OGO AS IT WILL APPEAR ON THE PRODUCT	TYPE OF CONSTRUCTION FORGED WELDED WROUGHT CAST OTHER XI DESCRIBE OTHER: MOLDED ETVEN PSUL ATE
Model 3900 pH sensor proof presst Model 3900 Product Data Sheet, 7' Model 3900 assembly drawing, 170	I-3900, which includes i	13014-TRT Rev. 00) model option codes, maximum pressure and ten specification, dimensions and wall thicknesses.	nperature ratings and markings.
my knowledge represents the pro- temperature ratings, and identifica- manufacture of these fittings is re- or in part and has been verified by	end product do soler duct for which registration markings are in a guiated by a Quality Or Det Norske Veritas Ing it to be true, and k	Real A. U.S.A. U.S.A.	In this form is true and to the best of of construction, pressure ds. I further declare that the at where fabrication occurs in whole purpose and I make this solemn

This space for Regulatory Authority use


This registration must be revalidated after ten (10) years from the date of accep

CRN: 0F14081.5

FID#: 521

Notes:

- 1. All fittings shall be registered in the name of the Manufacturer.
- 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
- 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
- 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.



UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS NEWFOUNDLAND AND LABRADDR

NEW BRUNSWICK	NOVA SCOTIA YUKON	NORTHWEST TERRITORIES	the second secon
TUVANUN		nent, Rosemount Analytical Inc.	
MANUFACTURERS NAME:			
MANUFACTURERS ADDRESS:	AND Cleville	o del Progreso #27. Parque industrial Pr	ogreso, Mexicali, BC, Mexico CP-21190
PLANT LOCATIONS: CATEGORY OF FITTIN A Pipe fittings, including coupling	IGS TO BE REGISTERED.	CIRCLE ONE CALEGOIA SINE	TITLE OF THE BIANDARD OF CONSTRUCTION Proprietary standard, from applicable requirements of CSA standard 851 and product data sheets, supported by
B Flanges: all tiangee C Valves: all line valves D Expansion joints, flexible conn	ections, and hose assemblies	a: all types	proof pressure tests.
F Measuring devices, including pressure transmitters G Certified capacity-rated pressure.	re relief devices acceptable a	as primary over pressure protection on	
bollers, pressure vessels, pipir H Pressure retaining components	that do not fall into one or in	Meeting CNSC of ASME requirements)	
N Nuclear components: Class 1	Class 2 Li Class 3 Li, (Meeting CNSC or ASME requirements) AB IT WILL APPEAR ON THE PRODU	CT TYPE OF CONSTRUCTION
SHOW MANUFACTURERS NAM	P. TRADEMARK, OR LUGO	AU II CHALL	FORGED WELDED WROUGHT CAST OTHER X
RO	SEMOUNT'		MOLDED/ENCHPSULATED
	Analytical		moches/ citation
		TO BE WHE ACTUAL ITEMS TO BE	REGISTERED
	SELLE TOPLICATION (LIGHT)	ATION OF THE ACTUAL ITEMS TO BE 014-TRT Rev. 00) del option codes, maximum pressure an ecification, dimensions and wall thicknes	KI IBI IDCI BIDI G IMMINDO TITE TITE
		•	
,	1		
my knowledge represents the temperature ratings, and identifications.	the end product do soleming product for which registratification markings are in act regulated by a Quality Cod by Del Norské Veritas lieving it to be true, and known a Code of Durthy Alies Al	injustical between the control program which extends to each as being sultable for nowing that it is of the same force an early with the same force and the same forc	that aumose and I make this solemn
•	This spregistration must be revalid	NCXI hwe	
FID#: 521 Notes: 1. All fittlings shall be registered	in the name of the Manufact	UNDER THE AI THE BOILER AF	UTHORITY OF ND PRESSURE
Each category shall be supported to the complete supported to the category of supported to the category shall be marked to the quality of the category of	ng documentation. de by the person having full at the end product. all be resubmitted for validatio	uthority and C.R.N. SIGNED STORY	18/15/1/2003 20/20041.0 - Fittings Rev. 1 05/2003
at a maximum interval of five (5) Aprile.		

NEW BRUNSWICK NOVA SCOTIA PRINCE EDWARD ISLAND NUNAVUT YUKON NORTHWEST TERRITORIES	NEWEGINED AND AND LADO-GOD
	NEWFOUNDLAND AND LABRADOR
MANUFACTURERS NAME. Emerson Process Management, Rosemount Analytical Inc.	•
MANUFACTURERS ADDRESS: 2400 Barranco Parkway, Irvinc, CA 92506	
PLANT LOCATIONS: Address above AND Circuito del Progreso #27, Parque Industrial F	Progreso, Mexicall, BC, Mexico CP-21180
CATEGORY OF FITTINGS TO BE REGISTERED, CIRCLE ONE CATEGORY ONLY	TITLE OF THE STANDARD OF CONSTRUCTION
A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps	Proprietary standard, from applicable requirements of CSA standard B51 an product data sheets, supported by proof pressure tests.
Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on bollers, pressure vessels, piping and fuelble plugs Pressure retaining components that do not fall into one of the above categories	
N Nuclear components: Class 1 ☐ Class 2 ☐ Class 3 ☐. (Meeting CNSC or ASME requirements)	
HOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODU	CT TYPE OF CONSTRUCTION
ROSEMOUNT °	FORGED WELDED WROUGHT D CAST DOTHER D DESCRIBE OTHER MOLOGO/ENCRYSILMED
Analytical	MOLDED/ENCHIPSIEMES
JIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE Model 3900 pH sensor proof pressure test report (RCMT # 13014-TRT Rev. 00)	REGISTERED:
ECLARATION:	•
ponsibility for the quality of the end product do solemnly doclare that the information contain knowledge represents the product for which registration is sought. The dimensions, material presents and identification markings are in accordance with the herein named stand nufficture of these fittings is regulated by a Quality Control Program which extends to each in part and has been verified by Del Norske Veritas as being suitable for the claration conscientiously believing it to be true, and knowing that it is of the same force and constitute of Declarer: Claration consciention of Declarer:	ned in this form is true and to the best of als of construction, pressure dards. I further declare that the plant where fabrication occurs in whole that purpose and I make this solomn
ponelbility for the quality of the end product do solemnly doclare that the information contain knowledge represents the product for which registration is sought. The dimensions, material perature ratings, and identification markings are in accordance with the herein named standard turns of these fittings is regulated by a Quality Control Program which extends to each in part and has been verified by Det Norske Veritas as being suitable for the startion conscientiously believing it to be true, and knowing that it is of the same force and constructed before me at ORANGE COUNTY ALIPBEMIA USA This apace for Regulatory Authority use this registration must be revalidated after ten (10) years from the series of the same force and the series of the seri	and in this form is true and to the best of als of construction, pressure dards. I further declare that the plant where fabrication occurs in whole that purpose and I make this solomn offect as if made under oath. CATHENINE ANN STIP Commission 1822116 Rottin Public California I C Orange County W Comm. Facility Day 5 2012 NUNAVUT of acceptance. Pressure Vessels Act REGISTERED
ponsibility for the quality of the end product do solemnly doclare that the information contain knowledge represents the product for which registration is sought. The dimensions, material perature ratings, and identification markings are in accordance with the herein named standard turn of these fittings is regulated by a Quality Control Program which extends to each in pert and has been verified by Det Norske Veritas as being suitable for the identification conscientiously believing it to be true, and knowing that it is of the same force and construct of Declarer: Control Program which extends to each in pert and has been verified by Det Norske Veritas as being suitable for the identification conscientiously believing it to be true, and knowing that it is of the same force and construct of Declarer: Control Program which extends to each in pert and has been verified by Det Norske Veritas Control Program which extends to each in pert and has been verified by Det Norske Veritas Control Program which extends to each in a solid program which extends to each in pert and has been verified by Det Norske Veritas Control Program which extends to each in a solid p	and in this form is true and to the best of als of construction, pressure tracks. I further declare that the plant where fabrication occurs in whole that purpose and I make this solomn offect as if made under bath. CATHENINE ANN STIP Commission 1822116 Rottin Public California I C Orange County W Comm. Faster Day 5 2012 NUNAVUT of acceptance. Pressure Vessels Act REGISTERED
ponsibility for the quality of the end product do solemnly doclare that the information contain knowledge represents the product for which registration is sought. The dimensions, materian perature ratings, and identification markings are in accordance with the herein named stance in part and has been verified by Det Norska Veritas as being suitable for the claration conscientiously believing it to be true, and knowing that it is of the same force and constructed before me at ORANGE. COUNTY, ALIPPENIA, U.S.A. This registration must be revalidated after ten (10) years from the recommendation. The declaration shall be supported with two Statutory Declaration and one copy of supporting documentation. The declaration shall be made by the person having full authority and	and in this form is true and to the best of als of construction, pressure dards. I further declare that the plant where fabrication occurs in whole that purpose and I make this solomn offect as if made under cath. CATHENINE ANN STIP Commission 1822116 Rottiny Public California I C Orange County W Comm. Faster Day 5 2012 NUNAVUT of acceptance. Pressure Vessels Act REGISTERED
ponsibility for the quality of the end product do solemnly doclare that the information contain knowledge represents the product for which registration is sought. The dimensions, materix perature ratings, and identification markings are in accordance with the herein named standing to the selfittings is regulated by a Quality Control Program which extends to each in part and has been verified by Det Norske Veritas as being suitable for the distration conscientiously believing it to be true, and knowing that it is of the same force and constitution of Declarer: Clared before me at ORANGE COUNTY (ALIPBEN) A, USA USA	red in this form is true and to the best of als of construction, pressure dards. I further declare that the plant where fabrication occurs in whole that purpose and I make this solomn effect as if made under bath. CATHERINE ANN STIP Commission 1822116 Noticy Public California I C I Orange County By Comm. States for 5 5012 NUNAVUT Boilers and of acceptance. Pressure Vessels Act REGISTERED F 14081.5 N